



Pipe facing machine for
tubes, fittings, micro
fittings and elbows

SE-25



CEFRI
667 E



The SE25 clamps on the OD diameter of the tube with clamping collets

One collet per diameter is necessary

No distortion of the tubes, even for the thinnest ones.

Powered: Electrically or with cordless electric drive

THE SE25 CAN BE MOUNTED ONTO A BENCH SUPPORT


The PREMIUM solution for applications within various fields such as:

- ✓ High Purity
- ✓ Semi-conductor industry
- ✓ Pharmaceutical industry
- ✓ Clean rooms
- ✓ Food processing
- ✓ Aerospace industry
- ✓ Shipbuilding
- ✓ Nuclear
- ✓ Oil and gas
- ✓ Shipbuilding

For unmatched results! SE-25

VERY LIGHT WEIGHT
PORTABLE AND VERSATILE

For thin tubes, fittings, micro fittings and elbows



THE SE25 IS THE ESSENTIAL COMPLEMENT OF ALL YOUR WELDING MACHINES

IT ALLOWS A PERFECT PREPARATION OF THE TUBES FOR MANUAL OR MECHANISED WELDING OPERATIONS

Machining capacity:

2 mm OD - 25.4 mm OD
0.07 OD - 1"OD

Feed:

10 mm (0.4") manual with scale

Clamping capacity:

2 mm OD - 25.40 mm OD
0.07 OD - 1" OD

Gear drive:

1. Level 0-350 rpm
2. Level 0-1200 rpm

Clamping:

Manual with clamping lever

Machine is delivered with:

- ✓ 1 facing tool block with one tool insert
- ✓ 2 storage batteries
- ✓ 1 battery charger
- ✓ Key and screws
- ✓ Operating manual



Our commitment! Your satisfaction!

OPTIONS

Order no.	Article	Weight
SE25	SE25 with portable cordless electric drive, 12 V / 1,7 Ah	~ 2,3 kg
SE25E	SE25 230V	~ 4 kg

SE25-K01



- Box for SE25

SE25-15-DZS (specify Ø)



- Collets for inch-diameters, standard dimensions (1/8", 1/4", 3/8", 1/2", 3/4", 1")

SE25-15-DMS (specify Ø)



- Collets for metric diameters, standard dimensions (in mm: 6, 8, 10, 12, 14, 16, 18, 20, 23, 25)

SE25-29-DZK (specify Ø)



- Extra short collets for micro fittings, for inch diameters

SE25-29-DMK (specify Ø)



- Extra short collets for micro fittings, for metric diameters

OPTIONS

SE25-TL

- Clamping head for SE25, long version

SE25-31



- Tool bit holder 30° for SE25 with battery drive for machines up to no. 25-749

SE25-42

- Adapter for SE25-31 with battery drive for machines from no. 25-750

SE25-41

- Tool bit holder 30° for SE25 with electric drive

SE25-35

- Tool bit holder 37°30 for SE25 with battery drive up to machine no. 25-749

SE25-36

- Tool bit holder 37°30 for SE25 with electric drive

SE25-33

- Tool bit holder 90° for SE25 with electric drive

SE25-46

- Tool bit holder 90° for SE25 for battery drive from machine no. 25-750

SE25-SU

- Bench mounting provision

O-SE-P1-3.-H-HC-20

- Tool inserts for SE25 - Material: HSSE - coating: TiSiN

O-SE-P1-3.3-C-T-20A



- Tool inserts for SE25 - Material: carbide - coating: TiN

O-SE-P1-3.3-H-T-20

- Tool inserts for SE25 , Material: HSSE - coating: TiN

SL-05

- Insert fixing screws

- Other options on request

CONTACT & COMMENTS

OUR COMMITMENT! YOUR SATISFACTION!

Serving our customers around the world with competence, efficiency and a reliable service is our main target. Whatever your questions, do not hesitate to consult us. Our staff will always advise you in a professional manner the right equipment that will meet your technical requirements.

Call or email us for more information!

PROTEM GmbH

Am Hambiegel 27
76706 Dettenheim | Germany
Phone: +49 (0) 7247 9393 - 0
Fax: +49 (0) 7247 9393 - 33
info@protem-gmbh.de
www.protem-gmbh.de

PROTEM SAS

Z.I. Les Bosses
26800 Etoile-sur-Rhone | France
Phone: +33 (0) 4 75 57 41 41
Fax: +33 (0) 4 75 57 41 49
contact@protem.fr
www.protem.fr

YOUR COMMENTS
