





PFM

PIPE FACING MACHINES

For diameters 4" - 48"

HSB

FROM 4" TO 48"

HSB Series

PROTEM GmbH

Phone: +49 (0) 7247 9393 - 0 Fax: +49 (0) 7247 9393 - 33

info@protem-gmbh.de www.protem-gmbh.de

PROTEM SAS

Phone: +33 (0) 4 75 57 41 41 Fax: +33 (0) 4 75 57 41 49

contact@protem.fr www.protem.fr









PFM HSB

The **PROTEM PFM HSB** is a reliable and very powerful portable **Pipe Facing Machine** for diameters ranging from **4" to 48"**.

The PROTEM PFM are THE pipeline machinery equipment you will need for all your pipeline projects!

- ✓ Spoolbases
- ✓ Onshore
- ✓ Offshore
- ✓ Subsea
- ✓ Barges
- ✓ Prefabrication etc...

For unmatched results!

Developed and tested in collaboration with users and approved by them worldwide!

WE DELIVER
UNMATCHED SOLUTIONS!
For perfect weld preparations

You will drastically increase your productivity with the **PFM - HSB**!

The PFM - HSB serve all industries where the weld quality is critical and projects must stay on schedule.

The machines are easy to install and quickly adjustable to any size within the machine's range. They will machine the pipe ends in one smooth pass in few seconds!





PFM HSB

Machining of pipe ends in *one* smooth pass in *few seconds*

PFM – **HSB** are the right equipment for your bevelling, facing and counter boring jobs.

These jobs can be processed individually or simultaneously. It will perform repeatable high quality bevels with a I, V, J, X shape or compounded bevels.

Perfectly suitable for manual or mechanised welding processes.

The **PROTEM PFM – HSB** can achieve perfect weld preparations on all materials: carbon steel, stainless steel, exotic alloys such as incoloy, hastelloy, duplex, super duplex, copper, etc.

Options:

- ✓ Out of round trackers
- ✓ Hydraulic Power Unit HPU
- √ Further Options possible on request

INCREASE YOUR PRODUCTIVITY WITH THE PFM – HSB

Main advantages:

- √ Very powerful
- ✓ Easy to handle and set up
- ✓ Wide size range
- √ High production rate
- ✓ Optimum stability
- ✓ Versatile
- ✓ Reliable
- ✓ Speeds pipe alignment
- √ Fast machining
- ✓ Accuracy
- ✓ Modular design
- ✓ Improved weld volume
- √ Safety chip guard
- ✓ Premium weld end preparation
- ✓ Adapted for extreme conditions
- ✓ Safe use on site or in prefabrication workshops

Developed and tested in collaboration with users and approved by them worldwide!










Different Models

	PFM-HSB 416 HSB-80/150	PFM-HSB 1123 HSB-220	PFM-HSB 1033 HSB-420	PFM-HSB 2542 HSB-620	PFM-HSB 3848 HSB-820
Pipe size	4" to 16"	11" to 23"	10" to 33"	25" to 42"	38" to 48"
range	101 to 406 mm	279 to 584 mm	254 to 838 mm	635 to 1066 mm	965 to 1219 mm
Bevel	x	x	x	x	x
Face	x	X	X	X	X
Counterb	ore x	x	x	x	x
Hydraulic power	HPU55kW HPP500	HPU55kW HPP500	HPU75kW HPP750	HPU75kW HPP750	HPU75kW HPP750
Weight	450 kg approx.	11 50 kg approx.	3000 kg approx.	3500 kg approx.	4000 kg approx.





Contact & Comments

Our commitment! Your satisfaction!

Serving our customers around the world with competence, efficiency and a reliable service is our main target. Whatever your questions, do not hesitate to consult us. Our staff will always advise you in a professional manner the right equipment that will meet your technical requirements.

Call or email us for more information!

PROTEM GmbH

Am Hambiegel 27 76706 Dettenheim | Germany Phone: +49 (0) 7247 9393 - 0 Fax: +49 (0) 7247 9393 - 33 info@protem-gmbh.de www.protem-gmbh.de

Vour comments.

PROTEM SAS

Z.I. Les Bosses 26800 Etoile-sur-Rhone | France Phone: +33 (0) 4 75 57 41 41 Fax: +33 (0) 4 75 57 41 49

contact@protem.fr www.protem.fr

Todi comments.						